

Andrew Chesworth,
Ofwat,
Centre City Tower,
7, Hill Street,
Birmingham. B5 4AU

26 September 2013

Dear Andrew

Request for Information - Re Thames IDoK

Firstly please accept my apologies for the delay in replying to the request for information regarding the above in the letter of 13th September from Robin Pratt. As you can appreciate we are all very busy at the moment and this took a little longer than we would have liked to produce.

I have set out below the data requested regarding sewer flooding. You will appreciate that since some of this data is a forecast it is our best estimate at this time and, going forward, may change to some extent. I have also attached an Excel version as requested.

Line	Description	Units	DPs	2011-12	2012-13	2013-14	2014-15
1	Total 1 in 10 and 2 in 10 properties on the register at end of year	nr	0	351	534	600	295
2	Added because of better information	nr	0	126	316	520	140
3	Removed because of better information	nr	0	26	17	N/A	N/A
4	Removed by company action	nr	0	224	103	154	430

With regard to the question about the costs of transferred private sewers I am happy to confirm that the costs we gave in Table 5 of the August submission did not include any costs associated with the pre-existing network and related solely to the transferred assets.

I hope the information provided is helpful and sufficient for your purposes but if you require any further details please let me know.

Yours sincerely

Ceri Jones

Regulation and Scientific Services Director

Northumbrian Water Limited