

**From:** Steve Morley  
**To:** [Peter Jordan](#)  
**Cc:** [Helen Orton](#)  
**Subject:** FW: Further consultation on the 2010-15 final reconciliation  
**Date:** 27 March 2017 09:17:13

---

Dear Peter

Thank you for your email and heads up on the issue.

We have no comments to add to the consultation.

Regards

Steve Morley  
Regulation Manager  
Portsmouth Water  
02392 249207

---

**From:** Peter Jordan [<mailto:Peter.Jordan@ofwat.gsi.gov.uk>]  
**Sent:** 24 March 2017 09:38  
**Cc:** PR14 Reconciliation <[PR14reconciliation@ofwat.gsi.gov.uk](mailto:PR14reconciliation@ofwat.gsi.gov.uk)>  
**Subject:** Further consultation on the 2010-15 final reconciliation

Dear Regulatory Director

This email is to highlight a consultation that we have published on our website today that invites further comments on our proposals for reconciling the incentive arrangements for companies' performance and expenditure for the 2010-15 period. It follows an earlier consultation on our draft reconciliation on 5 October 2016.

[Further consultation on the 2010-15 final reconciliation for the change protocol and overlap mechanisms](#)

We have reflected on the responses we received to our earlier consultation. We have revised our proposals for the reconciliation related to the change protocol and 2009 agreed overlap programme incentive mechanisms. We have therefore provided this further opportunity to comment on these revisions by 31 March 2017.

For the change protocol, our draft reconciliation used updated information on company costs, even where there was no difference between the delivery of outputs expected at FD14 and those delivered during the 2010 to 2015 period. However our established policy and practice is that action for logging up, down and shortfalling is principally dependent on changes in output delivery for the 2010-15 period and not on changes in costs. We have therefore modified our approach to the reconciliation for the change protocol to focus on output delivery. In addition, we consider that we should not include further adjustments for the PR09 overlap programme in this final reconciliation. Please see the consultation document for further details.

We do not think that this revision has any impact on your company.

Regards

Peter

Peter Jordan  
Principal  
Water 2020  
Tel: 0121 644 7512

Ofwat, Centre City Tower, 7 Hill Street, Birmingham. B5 4UA

[ofwat.gov.uk](http://ofwat.gov.uk)

Follow us at [twitter.com/ofwat](https://twitter.com/ofwat)

See the water sector dashboard at [discoverwater.co.uk](http://discoverwater.co.uk)

The water market for businesses is opening. Find out more at [open-water.org.uk](http://open-water.org.uk)

\*\*\*\*\*  
This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error please notify the systems manager - IT Service Desk tel no: 0121 644 7777. This footnote also confirms that this email message has been swept by LightSpeed for the presence of computer viruses. [www.lightspeedsystems.com](http://www.lightspeedsystems.com)  
\*\*\*\*\*

---

This e-mail has been scanned for viruses by MessageLabs.

RoSPA 2016 President's Award Winner

This e-mail is intended only for the addressee named above. As this e-mail may contain confidential or privileged information if you are not, or suspect that you are not, the named addressee or the person responsible for delivering the message to the named addressee, please telephone us immediately. An e-mail reply to this address may be subject to monitoring for operational reasons or lawful business practices. Please note that we cannot guarantee that this message or any attachment is virus free or has not been intercepted and amended. The views of the author may not necessarily reflect those of the Company.

Registered Office: Portsmouth Water Ltd, P.O. BOX NO. 8, West Street, Havant, Hampshire. PO9 1LG. Telephone (02392)499888. Fax (02392) 453632. Registered in England No 2536455. VAT No. GB 615375835

---

This message has been checked for all known viruses through the MessageLabs Virus Control Centre.

---

This email has been scanned by the Symantec Email Security.cloud service. For more information please visit <http://www.symanteccloud.com>

---