

April 2019

Trust in water

# **PR19 draft determinations: South West Water – Allowed revenue appendix**

## **PR19 draft determinations: South West Water – Allowed revenue supplementary appendix**

This Appendix provides supporting information on the calculation of allowed revenue as set out in section 4 of the draft determination. It sets out for each year and for each price control:

- The calculation of allowed revenue;
- Pay as you go (PAYG) rates and PAYG allowed income;
- Weighted average cost of capital and return on capital;
- Regulatory capital value (RCV) run off rates and RCV run off allowed income;  
and
- RCV.

All values are stated in 2017-18 prices unless otherwise stated.

## 1. Calculation of allowed revenue

The following tables set out the build up of allowed revenue for each wholesale price control for each year of the price review period as set out in tables 4.1 (wholesale price controls) and 4.2 (retail price controls) of the draft determination.

**Table 1.1: Water Resources (£ million)**

	2020-21	2021-22	2022-23	2023-24	2024-25	Total
Pay as you go	13.5	13.0	13.0	12.6	12.5	<b>64.6</b>
RCV run-off	3.5	3.5	3.6	3.7	3.7	<b>18.0</b>
Return on capital	3.8	3.8	3.8	3.8	3.8	<b>19.0</b>
Revenue adjustments for PR14 reconciliations	0.2	0.2	0.2	0.2	0.2	<b>1.0</b>
Fast-track reward	0.0	0.0	0.0	0.0	0.0	<b>0.0</b>
Tax	0.2	0.1	0.2	0.2	0.1	<b>0.7</b>
Grants and contributions (price control)	0.0	0.0	0.0	0.0	0.0	<b>0.0</b>
Other income (price control)	0.0	0.0	0.0	0.0	0.0	<b>0.0</b>
Deduct other income (non-price control)	0.0	0.0	0.0	0.0	0.0	<b>0.0</b>
Revenue re-profiling	0.0	-0.2	0.0	0.1	0.1	<b>0.0</b>
<b>Final allowed revenues</b>	<b>21.1</b>	<b>20.4</b>	<b>20.9</b>	<b>20.5</b>	<b>20.4</b>	<b>103.4</b>

**Table 1.2: Water network plus (£ million)**

	<b>2020-21</b>	<b>2021-22</b>	<b>2022-23</b>	<b>2023-24</b>	<b>2024-25</b>	<b>Total</b>
Pay as you go	104.9	106.5	102.5	99.0	98.1	<b>511.0</b>
RCV run-off	66.3	65.8	65.9	66.4	66.6	<b>330.9</b>
Return on capital	38.7	38.7	39.1	39.7	40.1	<b>196.3</b>
Revenue adjustments for PR14 reconciliations	-1.4	-1.5	-1.5	-1.6	-1.6	<b>-7.6</b>
Fast-track reward	0.0	0.0	0.4	0.4	0.4	<b>1.1</b>
Tax	9.0	8.8	8.9	8.2	7.8	<b>42.8</b>
Grants and contributions (price control)	6.7	6.9	7.0	7.0	7.0	<b>34.6</b>
Other income (price control)	4.1	4.1	4.1	4.1	4.1	<b>20.3</b>
Deduct other income (non-price control)	-4.3	-4.3	-4.3	-4.3	-4.3	<b>-21.5</b>
Revenue re-profiling	0.4	-1.4	0.3	0.6	0.7	<b>0.7</b>
<b>Final allowed revenues</b>	<b>224.4</b>	<b>223.5</b>	<b>222.4</b>	<b>219.5</b>	<b>218.9</b>	<b>1,108.7</b>

**Table 1.3: Wastewater network plus (£ million)**

	2020-21	2021-22	2022-23	2023-24	2024-25	Total
Pay as you go	92.4	92.3	85.1	85.0	82.3	<b>437.0</b>
RCV run-off	88.5	88.4	87.9	87.2	86.1	<b>438.1</b>
Return on capital	46.9	47.5	47.9	48.0	47.9	<b>238.2</b>
Revenue adjustments for PR14 reconciliations	-0.9	-0.9	-0.9	-1.0	-1.0	<b>-4.7</b>
Fast-track reward	0.0	0.0	0.4	0.4	0.4	<b>1.3</b>
Tax	9.1	9.0	9.6	9.7	9.5	<b>46.8</b>
Grants and contributions (price control)	5.6	5.9	6.1	6.1	6.1	<b>29.9</b>
Other income (price control)	0.0	0.0	0.0	0.0	0.0	<b>0.0</b>
Deduct other income (non-price control)	-0.1	-0.1	-0.1	-0.1	-0.1	<b>-0.3</b>
Revenue re-profiling	0.5	-1.5	1.1	0.0	0.8	<b>0.9</b>
<b>Final allowed revenues</b>	<b>242.1</b>	<b>240.6</b>	<b>237.1</b>	<b>235.4</b>	<b>232.1</b>	<b>1,187.3</b>

**Table 1.4: Bioresources (£ million)**

	2020-21	2021-22	2022-23	2023-24	2024-25	Total
Pay as you go	14.5	14.6	13.9	13.9	13.9	<b>70.8</b>
RCV run-off	7.6	7.1	6.7	6.4	6.0	<b>33.8</b>
Return on capital	2.2	2.2	2.1	2.1	2.1	<b>10.8</b>
Revenue adjustments for PR14 reconciliations	0.0	0.0	0.0	0.0	0.0	<b>0.0</b>
Fast-track reward	0.0	0.0	0.0	0.0	0.0	<b>0.0</b>
Tax	0.8	0.7	0.7	0.6	0.5	<b>3.3</b>
Grants and contributions (price control)	0.0	0.0	0.0	0.0	0.0	<b>0.0</b>
Other income (price control)	0.0	0.0	0.0	0.0	0.0	<b>0.0</b>
Deduct other income (non-price control)	0.0	0.0	0.0	0.0	0.0	<b>0.0</b>
Revenue re-profiling	0.0	-0.2	0.1	0.1	0.1	<b>0.0</b>
<b>Final allowed revenues</b>	<b>25.1</b>	<b>24.4</b>	<b>23.4</b>	<b>23.0</b>	<b>22.7</b>	<b>118.7</b>

**Table 1.5: Residential retail control (nominal price base)**

	<b>2020-21</b>	<b>2021-22</b>	<b>2022-23</b>	<b>2023-24</b>	<b>2024-25</b>	<b>Total</b>
Total wholesale revenue - nominal (£m)	528.2	534.7	539.6	544.5	550.7	<b>2,697.7</b>
Proportion of wholesale revenue allocated to residential (%)	74.4%	74.3%	74.3%	74.3%	74.3%	
Residential retail costs (£m)	27.3	27.8	28.1	28.4	28.7	<b>140.4</b>
<b>Total retail costs (£m)</b>	<b>420.1</b>	<b>425.3</b>	<b>429.0</b>	<b>433.0</b>	<b>437.6</b>	<b>2,145.0</b>
Residential retail net margin (%)	1.0%	1.0%	1.0%	1.0%	1.0%	
<b>Residential retail net margin (£m)</b>	<b>4.2</b>	<b>4.3</b>	<b>4.3</b>	<b>4.4</b>	<b>4.4</b>	<b>21.6</b>
Residential retail adjustments (£m)	-0.8	-0.8	-0.9	-0.9	-1.0	<b>-4.4</b>
<b>Residential retail revenue (£m)</b>	<b>30.8</b>	<b>31.3</b>	<b>31.6</b>	<b>31.9</b>	<b>32.1</b>	<b>157.7</b>

## 2. Pay as you go (PAYG) rates

Companies recover expenditure in line with our totex allowances either in period from current customers using pay-as-you-go (PAYG) or add it to the regulatory capital value (RCV) and recover from future generations of customers using the RCV run-off rates.

The PAYG revenue for each year of the price control is based on the totex allowance for each year multiplied by the relevant PAYG rate plus an allowance for pension deficit recovery costs.

Table 4.3 of the draft determination sets out the five year PAYG allowances for each of the wholesale controls and table 4.4 sets out the unweighted average PAYG rates for each of the wholesale controls. The following tables set out the totex, PAYG rates and resultant PAYG revenue allowance for each wholesale control for each year of the price review.

**Table 2.1: Water resources**

	2020-21	2021-22	2022-23	2023-24	2024-25	Total
Totex allowance (£ million)	16.2	16.7	15.9	15.0	14.0	<b>78.7</b>
PAYG (%)	81.9%	76.6%	81.7%	84.1%	84.4%	
Totex PAYG (£ million)	13.3	12.8	13.0	12.6	12.5	<b>64.2</b>
Pension deficit repair costs (£ million)	0.2	0.2	0.0	0.0	0.0	<b>0.4</b>
Total pay as you go (£ million)	<b>13.5</b>	<b>13.0</b>	<b>13.0</b>	<b>12.6</b>	<b>12.5</b>	<b>64.6</b>



**Table 2.2: Water network plus**

	2020-21	2021-22	2022-23	2023-24	2024-25	Total
Totex allowance (£ million)	145.1	159.0	176.7	168.1	162.6	<b>811.6</b>
PAYG (%)	69.5%	64.4%	58.0%	58.9%	60.3%	
Totex PAYG (£ million)	100.9	102.4	102.5	99.0	98.1	<b>502.8</b>
Pension deficit repair costs (£ million)	4.1	4.1	0.0	0.0	0.0	<b>8.2</b>
Total pay as you go (£ million)	<b>104.9</b>	<b>106.5</b>	<b>102.5</b>	<b>99.0</b>	<b>98.1</b>	<b>511.0</b>

**Table 2.3: Wastewater network plus**

	2020-21	2021-22	2022-23	2023-24	2024-25	Total
Totex allowance (£ million)	179.2	175.5	160.5	159.2	146.8	<b>821.4</b>
PAYG (%)	49.5%	50.4%	53.0%	53.4%	56.0%	
Totex PAYG (£ million)	88.7	88.6	85.1	85.0	82.3	<b>429.6</b>
Pension deficit repair costs (£ million)	3.7	3.7	0.0	0.0	0.0	<b>7.5</b>
Total pay as you go (£ million)	<b>92.4</b>	<b>92.3</b>	<b>85.1</b>	<b>85.0</b>	<b>82.3</b>	<b>437.0</b>

**Table 2.4: Bioresources**

	2020-21	2021-22	2022-23	2023-24	2024-25	Total
Totex allowance (£ million)	17.8	18.2	18.7	18.4	18.1	<b>91.2</b>
PAYG (%)	77.0%	76.4%	74.2%	75.3%	77.3%	
Totex PAYG (£ million)	13.7	13.9	13.9	13.9	13.9	<b>69.3</b>
Pension deficit repair costs (£ million)	0.7	0.7	0.0	0.0	0.0	<b>1.5</b>
Total pay as you go (£ million)	<b>14.5</b>	<b>14.6</b>	<b>13.9</b>	<b>13.9</b>	<b>13.9</b>	<b>70.8</b>

### 3. Regulatory capital value (RCV)

Tables 4.6 and 4.7 of the draft determination set out the opening RCV balance at 1 April 2020 and closing RCV balance at 31 March 2025. During that period the RCV balance is adjusted by adding totex not recovered in period through PAYG and subtracting the amortisation of RCV through RCV run off.

The PR19 methodology confirmed we will transition to CPIH as the primary inflation rate from 2020. At 1 April 2020, we will index 50% of RCV to RPI; the rest, including new RCV, will be indexed to CPIH. Through the price control period, we will maintain separate balances for RCV inflated by RPI and RCV inflated by CPIH. The PR19 methodology also confirmed our protection of the value of the RCV as at 31 March 2020 across each of the wholesale price controls. New investment that is allocated to the RCV from 1 April 2020 and which does not benefit from the protection is maintained separately as ‘post 2020 investment’ and is indexed to CPIH.

The following tables set out the movement on each component of RCV for each wholesale control for each year of the price control. We also set out below the average RCV balance for each component of the RCV as this is used for the calculation of the return on capital.

#### 3.1 Water resources

**Table 3.1: RPI inflated RCV (£ million)**

	2020-21	2021-22	2022-23	2023-24	2024-25
Opening RCV	67.6	66.6	65.5	64.5	63.5
Less : RCV run off	1.7	1.7	1.7	1.6	1.6
Closing RCV	65.9	64.9	63.9	62.9	61.9

In tables in this appendix, the opening RCV values have been inflated (by either RPI or CPIH) and then deflated to 2017-18 prices using CPIH. This is consistent with Tables 4.1 to 4.4 in this appendix, and allows the correct calculation of return on capital.

**Table 3.2: CPIH inflated RCV (£ million)**

	2020-21	2021-22	2022-23	2023-24	2024-25
Opening RCV	67.2	65.5	63.9	62.3	60.7
Less : RCV run off	1.7	1.7	1.6	1.6	1.5
Closing RCV	65.5	63.9	62.3	60.7	59.2

**Table 3.3: Post 2020 investment RCV (£ million)**

	2020-21	2021-22	2022-23	2023-24	2024-25
Opening RCV	0.0	2.9	6.6	9.1	11.0
Add : Post 2020 investment RCV	2.9	3.9	2.9	2.4	2.3
Less : RCV run off	0.1	0.2	0.4	0.5	0.6
Closing RCV	2.9	6.6	9.1	11.0	12.8

**Table 3.4: Total RCV and average for each element of RCV (£ million)**

	2020-21	2021-22	2022-23	2023-24	2024-25
Total Opening RCV	134.8	135.0	136.0	135.9	135.2
Total Closing RCV	134.3	135.3	135.2	134.6	133.8
Average RPI inflated RCV	66.8	65.7	64.7	63.7	62.7
Average CPIH inflated RCV	66.4	64.7	63.1	61.5	59.9
Average post 2020 investment RCV	1.4	4.7	7.8	10.1	11.9

## 3.2 Water network plus

**Table 3.5: RPI inflated RCV (£ million)**

	2020-21	2021-22	2022-23	2023-24	2024-25
Opening RCV	696.0	669.9	644.7	620.4	597.0
Less: RCV run off	32.7	31.5	30.3	29.2	28.1
Closing RCV	663.3	638.5	614.4	591.3	568.9

**Table 3.6: CPIH inflated RCV (£ million)**

	2020-21	2021-22	2022-23	2023-24	2024-25
Opening RCV	693.4	660.9	629.9	600.6	572.6
Less: RCV run off	32.5	30.9	29.4	27.9	26.6
Closing RCV	660.9	629.9	600.6	572.6	546.1

**Table 3.7: Post 2020 investment RCV (£ million)**

	2020-21	2021-22	2022-23	2023-24	2024-25
Opening RCV	0.0	43.2	96.5	164.5	224.3
Add : Post 2020 investment RCV	44.2	56.7	74.2	69.2	64.5
Less : RCV run off	1.0	3.4	6.2	9.3	11.9
Closing RCV	43.2	96.5	164.5	224.3	276.9

**Table 3.8: Total RCV and average for each element of RCV (£ million)**

	2020-21	2021-22	2022-23	2023-24	2024-25
Total Opening RCV	1,389.4	1,374.0	1,371.1	1,385.5	1,394.0
Total Closing RCV	1,367.4	1,364.9	1,379.4	1,388.3	1,392.0
Average RCV RPI	679.7	654.2	629.5	605.8	583.0
Average RCV CPIH	677.1	645.4	615.3	586.6	559.4
Average RCV post 2020 investment	21.6	69.9	130.5	194.4	250.6

### 3.3 Wastewater network plus

**Table 3.9: RPI inflated RCV (£ million)**

	2020-21	2021-22	2022-23	2023-24	2024-25
Opening RCV	834.4	798.9	764.7	732.1	700.8
Less: RCV run off	43.4	41.5	39.8	38.1	36.4
Closing RCV	791.0	757.4	725.0	694.0	664.3

**Table 3.10: CPIH inflated RCV (£ million)**

	2020-21	2021-22	2022-23	2023-24	2024-25
Opening RCV	831.3	788.4	748.3	710.6	675.1
Less : RCV run off	42.8	40.1	37.7	35.5	33.5
Closing RCV	788.4	748.3	710.6	675.1	641.6

**Table 3.11: Post 2020 investment RCV (£ million)**

	2020-21	2021-22	2022-23	2023-24	2024-25
Opening RCV	0.0	88.2	168.6	233.6	294.2
Add: Post 2020 investment RCV	90.6	87.1	75.4	74.2	64.6
Less: RCV run off	2.3	6.7	10.4	13.6	16.2
Closing RCV	88.2	168.6	233.6	294.2	342.6

**Table 3.12: Total RCV and average for each element of RCV (£ million)**

	2020-21	2021-22	2022-23	2023-24	2024-25
Total Opening RCV	1,665.6	1,675.6	1,681.7	1,676.3	1,670.1
Total Closing RCV	1,667.6	1,674.3	1,669.1	1,663.3	1,648.5
Average RCV RPI	812.7	778.1	744.9	713.1	682.6
Average RCV CPIH	809.8	768.4	729.4	692.8	658.3
Average RCV post 2020 investment	44.1	128.4	201.1	263.9	318.4

## 3.4 Bioresources

**Table 3.13 RPI inflated RCV (£ million)**

	2020-21	2021-22	2022-23	2023-24	2024-25
Opening RCV	40.9	37.5	34.4	31.5	28.9
Less : RCV run off	3.8	3.4	3.2	2.9	2.7
Closing RCV	37.1	34.0	31.2	28.6	26.3

**Table 3.14: CPIH inflated RCV (£ million)**

	2020-21	2021-22	2022-23	2023-24	2024-25
Opening RCV	40.6	36.9	33.5	30.4	27.6
Less : RCV run off	3.7	3.4	3.1	2.8	2.5
Closing RCV	36.9	33.5	30.4	27.6	25.1

**Table 3.15: Post 2020 investment RCV (£ million)**

	2020-21	2021-22	2022-23	2023-24	2024-25
Opening RCV	0.0	4.0	8.0	12.4	16.3
Add: Post 2020 investment RCV	4.1	4.3	4.8	4.6	4.1
Less: RCV run off	0.1	0.3	0.5	0.7	0.8
Closing RCV	4.0	8.0	12.4	16.3	19.5

**Table 3.16: Total RCV and average for each element of RCV (£ million)**

	2020-21	2021-22	2022-23	2023-24	2024-25
Total Opening RCV	81.5	78.4	75.9	74.3	72.8
Total Closing RCV	78.0	75.6	74.0	72.5	70.9
Average RCV RPI	39.0	35.8	32.8	30.1	27.6
Average RCV CPIH	38.8	35.2	32.0	29.0	26.4
Average RCV post 2020 investment	2.0	6.0	10.2	14.3	17.9

## 4. Return on capital

Companies are allowed a return on the RCV, equal to the Weighted Average Cost of Capital (WACC).

The return on capital is calculated by multiplying the annual average RCV for each component of RCV (RPI inflated, CPIH inflated and post 2020 investment) by the wholesale WACC for each control. Our PR19 methodology set out an ‘early view’ cost of capital for all wholesale controls at 3.3% - CPIH deflated (2.3% - RPI deflated). The CPIH deflated cost of capital is applied to the CPIH inflated RCV and the post 2020 investment RCV. The RPI deflated cost of capital is applied to the RPI inflated RCV.

Table 4.9 of the draft determination sets out the five year return on capital for each component of RCV for each wholesale control. The following tables set out the return on capital for each year of the price review and the WACC applied to each element of the RCV.

**Table 4.1: Water resources return on capital and weighted average cost of capital**

	2020-21	2021-22	2022-23	2023-24	2024-25	Total
RPI inflated RCV (£ million)	1.5	1.5	1.5	1.5	1.4	<b>7.4</b>
CPIH inflated RCV (£ million)	2.2	2.1	2.1	2.0	2.0	<b>10.4</b>
Post 2020 investment (£ million)	0.0	0.2	0.3	0.3	0.4	<b>1.2</b>
Other adjustments (£ million)	0.0	0.0	0.0	0.0	0.0	<b>0.0</b>
Total return on capital (£ million)	3.8	3.8	3.8	3.8	3.8	<b>19.0</b>
Weighted average cost of capital applied to RPI inflated RCV (%)	2.3%	2.3%	2.3%	2.3%	2.3%	
Weighted average cost of capital applied to CPIH inflated and post 2020 RCV (%)	3.3%	3.3%	3.3%	3.3%	3.3%	

**Table 4.2: Water network plus return on capital and weighted average cost of capital**

	2020-21	2021-22	2022-23	2023-24	2024-25	2020-25
RPI inflated RCV (£ million)	15.6	15.0	14.5	13.9	13.4	<b>72.5</b>
CPIH inflated RCV (£ million)	22.3	21.3	20.3	19.3	18.4	<b>101.6</b>
Post 2020 investment (£ million)	0.7	2.3	4.3	6.4	8.3	<b>22.0</b>
Other adjustments (£ million)	0.0	0.0	0.0	0.0	0.0	<b>0.2</b>
Total return on capital (£ million)	38.7	38.7	39.1	39.7	40.1	<b>196.3</b>
Weighted average cost of capital applied to RPI inflated RCV (%)	2.3%	2.3%	2.3%	2.3%	2.3%	
Weighted average cost of capital applied to CPIH inflated and post 2020 RCV (%)	3.3%	3.3%	3.3%	3.3%	3.3%	

**Table 4.3: Wastewater network plus return on capital and weighted average cost of capital**

	2020-21	2021-22	2022-23	2023-24	2024-25	2020-25
RPI inflated RCV (£ million)	18.7	17.9	17.1	16.4	15.7	<b>85.8</b>
CPIH inflated RCV (£ million)	26.7	25.3	24.0	22.8	21.7	<b>120.6</b>
Post 2020 investment (£ million)	1.5	4.2	6.6	8.7	10.5	<b>31.6</b>
Other adjustments (£ million)	0.0	0.0	0.0	0.0	0.0	<b>0.2</b>
Total return on capital (£ million)	46.9	47.5	47.9	48.0	47.9	<b>238.2</b>
Weighted average cost of capital applied to RPI inflated RCV (%)	2.3%	2.3%	2.3%	2.3%	2.3%	
Weighted average cost of capital applied to CPIH inflated and post 2020 RCV (%)	3.3%	3.3%	3.3%	3.3%	3.3%	



**Table 4.4: Bioresources return on capital and weighted average cost of capital**

	<b>2020-21</b>	<b>2021-22</b>	<b>2022-23</b>	<b>2023-24</b>	<b>2024-25</b>	<b>2020-25</b>
RPI inflated RCV (£ million)	0.9	0.8	0.8	0.7	0.6	<b>3.8</b>
CPIH inflated RCV (£ million)	1.3	1.2	1.1	1.0	0.9	<b>5.3</b>
Post 2020 investment (£ million)	0.1	0.2	0.3	0.5	0.6	<b>1.7</b>
Other adjustments (£ million)	0.0	0.0	0.0	0.0	0.0	<b>0.0</b>
Total return on capital (£ million)	2.2	2.2	2.1	2.1	2.1	<b>10.8</b>
Weighted average cost of capital applied to RPI inflated RCV (%)	2.3%	2.3%	2.3%	2.3%	2.3%	
Weighted average cost of capital applied to CPIH inflated and post 2020 RCV (%)	3.3%	3.3%	3.3%	3.3%	3.3%	

## 5. RCV run off rates

RCV run off is the proportion of the RCV which is recovered each year during the price review period. Companies are able to propose different run-off rates for RPI inflated and CPIH inflated RCV and also, for the water resources and bioresources controls, for post 1 April 2020 investment.

Table 4.9 of the draft determination sets out five year total of the RCV run-off revenue for each component of RCV for each wholesale control. The following tables set out the RCV run off rates for each wholesale control for each year of the price review period and the resultant total RCV revenue for each year.

**Table 5.1: Water resources**

	2020-21	2021-22	2022-23	2023-24	2024-25	Total
Run off on RPI inflated RCV (%)	2.52%	2.52%	2.52%	2.52%	2.52%	
Run off on CPIH inflated RCV (%)	2.52%	2.52%	2.52%	2.52%	2.52%	
Run off on post 2020 investment RCV (%)	4.56%	4.56%	4.56%	4.56%	4.56%	
Total RCV run-off (£ million)	3.5	3.6	3.6	3.7	3.7	<b>18.0</b>

**Table 5.2: Water network plus**

	2020-21	2021-22	2022-23	2023-24	2024-25	Total
Run off on RPI inflated RCV (%)	4.70%	4.70%	4.70%	4.70%	4.70%	
Run off on CPIH inflated RCV (%)	4.70%	4.69%	4.67%	4.66%	4.65%	
Run off on post 2020 investment RCV (%)	4.70%	4.69%	4.67%	4.66%	4.65%	
Total RCV run-off (£ million)	66.3	65.8	65.9	66.4	66.6	<b>330.9</b>

**Table 5.3: Wastewater network plus**

	2020-21	2021-22	2022-23	2023-24	2024-25	Total
Run off on RPI inflated RCV (%)	5.20%	5.20%	5.20%	5.20%	5.20%	
Run off on CPIH inflated RCV (%)	5.16%	5.10%	5.05%	5.01%	4.97%	
Run off on post 2020 investment RCV (%)	5.16%	5.10%	5.05%	5.01%	4.97%	
Total RCV run-off (£ million)	88.5	88.4	87.9	87.2	86.2	<b>438.2</b>

**Table 5.4: Bioresources**

	2020-21	2021-22	2022-23	2023-24	2024-25	Total
Run off on RPI inflated RCV (%)	9.18%	9.18%	9.18%	9.18%	9.18%	
Run off on CPIH inflated RCV (%)	9.18%	9.18%	9.18%	9.18%	9.18%	
Run off on post 2020 investment RCV (%)	4.56%	4.56%	4.56%	4.56%	4.56%	
Total RCV run-off (£ million)	7.6	7.1	6.7	6.4	6.0	<b>33.8</b>

Ofwat (The Water Services Regulation Authority) is a non-ministerial government department. We regulate the water sector in England and Wales. Our vision is to be a trusted and respected regulator, working at the leading edge, challenging ourselves and others to build trust and confidence in water.

Ofwat  
Centre City Tower  
7 Hill Street  
Birmingham B5 4UA

Phone: 0121 644 7500  
Fax: 0121 644 7533  
Website: [www.ofwat.gov.uk](http://www.ofwat.gov.uk)  
Email: [mailbox@ofwat.gsi.gov.uk](mailto:mailbox@ofwat.gsi.gov.uk)

April 2019

© Crown copyright 2019

This publication is licensed under the terms of the Open Government Licence v3.0 except where otherwise stated. To view this licence, visit [nationalarchives.gov.uk/doc/open-government-licence/version/3](http://nationalarchives.gov.uk/doc/open-government-licence/version/3).

Where we have identified any third party copyright information, you will need to obtain permission from the copyright holders concerned.

This document is also available from our website at [www.ofwat.gov.uk](http://www.ofwat.gov.uk).

Any enquiries regarding this publication should be sent to us at [mailbox@ofwat.gsi.gov.uk](mailto:mailbox@ofwat.gsi.gov.uk).

