



Changes to SES Water's Outcomes performance commitment appendix that accompanied the notification of the determination by the Water Services Regulation Authority (Ofwat) of Price Controls for the period from 1 April 2020 to 31 March 2025

This notice contains a log of changes to the [PR19 final determinations: SES Water – Outcomes performance commitment appendix](#) that was published on 16 December 2019.

For minor corrections, see the corrigenda issued for this company on [Ofwat's website](#).

Version control

Version	Date of issue	Performance commitments with changes
1.0	30 September 2020	PR19SES_D.3 (D-MeX)
2.0	31 March 2021	PR19SES_D.3 (D-Mex)
3.0	11 November 2021	PR19SES_E.1 (Per capita consumption)

D-MeX

PR19SES_D.3

The detail for this performance commitment is set out on pages 33–36.

Version 1.0 of this change log makes the following changes:

On [page 33](#), in the 'Performance commitment definition and parameters' table for:

<p>Detailed definition of performance measure</p>	<p>D-MeX is a measure of customer satisfaction. A company's overall D-MeX score is calculated from two components that contribute equally:</p> <ul style="list-style-type: none"> • qualitative D-MeX score, based on the ratings provided by developer services customers who transacted with the company throughout the reporting year to a customer satisfaction survey; and • quantitative D-MeX score, based on the company's performance against a set of selected Water UK performance metrics throughout the reporting year. <p>The survey results which are used to calculate the qualitative component of the company's D-MeX score will be supplied by a survey agent appointed by Ofwat. This is supplied out of 100 to form the score for the qualitative component of D-MeX.</p> <p>The set of Water UK performance metrics which are used to calculate the quantitative component of the company's D-MeX score, in place at the time of PR19 final determinations publication, are set out in annex 2 of 'PR19 final determinations: Customer measure of experience (C-MeX) and developer services measure of experience (D-MeX) policy appendix'. For each metric, a percentage is reported and a simple average of these metrics is taken. This is rescaled to be out of 100 to form the score for the quantitative component of D-MeX.</p>
--	--

Read:

<p>Detailed definition of performance measure</p>	<p>D-MeX is a measure of customer satisfaction. A company's overall D-MeX score is calculated from two components that contribute equally:</p> <ul style="list-style-type: none"> • qualitative D-MeX score, based on the ratings provided by developer services customers who transacted with the company throughout the reporting year to a customer satisfaction survey; and • quantitative D-MeX score, based on the company's performance against a set of selected Water UK performance metrics throughout the reporting year. <p>The survey results which are used to calculate the qualitative component of the company's D-MeX score will be supplied by a survey agent appointed by Ofwat. This is supplied out of 100 to form the score for the qualitative component of D-MeX.</p> <p>Qualitative metrics</p> <p>The metrics which are to be supplied by the company to Ofwat's survey agent for the qualitative component are as follows:</p> <p>The metrics that apply from 1 April 2020 to 30 September 2020 are set out in annex 1 of 'PR19 final determinations: Customer measure of experience (C-MeX) and developer services measure of experience (D-MeX) policy appendix'.</p> <p>For all companies, from 1 October 2020:</p> <ul style="list-style-type: none"> • W1.1 Pre-development enquiry – reports issued within target • W3.1 s45 quotations – within target • W4.1 s45 service pipe connections – within target • W6.1 Mains design <500 plots – quotations within target • W7.1 Mains design >500 plots – quotations within target • W8.1 Mains construction within target • W17.1 Mains diversions (without constraints) – quotations within target
--	---

	<ul style="list-style-type: none"> • W17.2 Mains diversions (with constraints) – quotations within target • W18.1 Mains diversions – construction/commissioning within target • W20.1 Self-lay Point of Connection report < 500 plots etc – reports issued within target • W21.1 Self-lay Point of Connection reports >500 plots etc – reports issued within target • W23.1 Self-lay design and terms request <500 plots etc – quotations within target • W24.1 Self-lay design and terms request >500 plots etc – quotations within target • W25.1 Self-lay signed agreement – acknowledgements within target • W26.1 Self-lay water for pressure/bacteriological testing – provided within target • W27.1 Self-lay permanent water supply – provided within target • W28.1 Self-lay vesting certificates – issued within target • W29.1 Self-lay Asset Payments – issued within target • W30.1 Self-lay plot references and costing details – issued within target • S1.1 Pre-development enquiry – reports issued within target • S3.1 Sewer requisition design – offers issued within target • S4.1 Sewer requisition – constructed and commissioned within agreed extension • S6.1 Technical vetting of adoptions & diversions – approval or rejection letters within target • S7.1 Adoption legal agreement – draft agreements issued within target • S8.1 s106 sewer connection – approval letters issued within target • S9.1 s106 sewer connection – rejection letters issued within target • WN1.1 % of confirmations issued to the applicant within target period • WN2.2 % Bulk supply offer letters issued to the applicant within target period
--	--

	<ul style="list-style-type: none"> • WN3.1 % Bulk water supply agreement signed and issued to the applicant within target period • WN4.1 % of main laying schemes constructed and commissioned within the target period • WN4.2 % of testing supplies provided within target period • WN4.3 % of permanent supplies made available within the target period • SN2.2 % Bulk discharge offer letters issued to the applicant within target period • SN3.1 % Bulk discharge agreement signed and issued to the applicant within target period • SN4.1 % of main laying schemes constructed and commissioned within the target period <p>For companies wholly or mainly in England, in addition to the list above, from 1 October 2020:</p> <ul style="list-style-type: none"> • SAM 1/2 Review pre-design application • SAM 2/2 Review Design Step 1: Full design review and response • SAM 2/3 Review Design Step 2: Design acceptance • SAM 3/1 Update draft agreement • SAM 4/1 Inspections & construction period • SAM 5/1 Request for pre maintenance inspections • SAM 5/2 Issue pre maintenance certificate/provisional certificate • SAM 6/2 Issue vesting certificate <p>Quantitative metrics</p> <p>The set of Water UK performance metrics which are used to calculate the quantitative component of the company's D-MeX score are as follows:</p> <p>For all companies, from 1 April 2020 to 30 September 2020:</p> <ul style="list-style-type: none"> • W1.1 Pre-development enquiry - reports issued within target • W3.1 s45 quotations - within target • W4.1 s45 service pipe connections - within target • W6.1 Mains design <500 plots - quotations within target
--	--

	<ul style="list-style-type: none"> • W7.1 Mains design >500 plots - quotations within target • W8.1 Mains construction within target • W17.1 Mains diversions (without constraints) - quotations within target • W17.2 Mains diversions (with constraints) - quotations within target • W18.1 Mains diversions - construction/commissioning within target • W20.1 Self lay Point of Connection report < 500 plots etc - reports issued within target • W21.1 Self lay Point of Connection reports >500 plots etc - reports issued within target • W23.1 Self lay design and terms request <500 plots etc - quotations within target • W24.1 Self lay design and terms request >500 plots etc - quotations within target • W26.1 Self lay water for pressure/bacteriological testing - provided within target • W27.1 Self lay permanent water supply - provided within target • W30.1 Self lay plot references and costing details - issued within target • S1.1 Pre-development enquiry - reports issued within target • S3.1 Sewer requisition design - offers issued within target • S4.1 Sewer requisition - constructed and commissioned within agreed extension • S7.1 Adoption legal agreement - draft agreements issued within target <p>For companies wholly or mainly in England, from 1 October 2020:</p> <ul style="list-style-type: none"> • W1.1 Pre-development enquiry – reports issued within target • W3.1 s45 quotations – within target • W4.1 s45 service pipe connections – within target • W6.1 Mains design <500 plots – quotations within target • W7.1 Mains design >500 plots – quotations within target
--	---

	<ul style="list-style-type: none"> • W8.1 Mains construction within target • W17.1 Mains diversions (without constraints) – quotations within target • W17.2 Mains diversions (with constraints) – quotations within target • W18.1 Mains diversions – construction/commissioning within target • W20.1 Self lay Point of Connection report < 500 plots etc – reports issued within target • W21.1 Self lay Point of Connection reports >500 plots etc – reports issued within target • W23.1 Self lay design and terms request <500 plots etc – quotations within target • W24.1 Self lay design and terms request >500 plots etc – quotations within target • W26.1 Self lay water for pressure/bacteriological testing – provided within target • W27.1 Self lay permanent water supply – provided within target • W30.1 Self lay plot references and costing details – issued within target • S1.1 Pre-development enquiry – reports issued within target • S3.1 Sewer requisition design – offers issued within target • S4.1 Sewer requisition – constructed and commissioned within agreed extension • S7.1 Adoption legal agreement – draft agreements issued within target • WN1.1 % of confirmations issued to the applicant within target period • WN2.2 % Bulk supply offer letters issued to the applicant within target period • WN4.1 % of main laying schemes constructed and commissioned within the target period • WN4.2 % of testing supplies provided within target period • WN4.3 % of permanent supplies made available within the target period • SN2.2 % Bulk discharge offer letters issued to the applicant within target period • SN4.1 % of main laying schemes constructed and
--	--

	<p>commissioned within the target period</p> <ul style="list-style-type: none"> • SAM 3/1 Update draft agreement • SAM 4/1 Inspections and construction period <p>For companies wholly or mainly in Wales, from 1 October 2020:</p> <ul style="list-style-type: none"> • W1.1 Pre-development enquiry – reports issued within target • W3.1 s45 quotations – within target • W4.1 s45 service pipe connections – within target • W6.1 Mains design <500 plots – quotations within target • W7.1 Mains design >500 plots – quotations within target • W8.1 Mains construction within target • W17.1 Mains diversions (without constraints) – quotations within target • W17.2 Mains diversions (with constraints) – quotations within target • W18.1 Mains diversions – construction/commissioning within target • W20.1 Self lay Point of Connection report < 500 plots etc – reports issued within target • W21.1 Self lay Point of Connection reports >500 plots etc – reports issued within target • W23.1 Self lay design and terms request <500 plots etc – quotations within target • W24.1 Self lay design and terms request >500 plots etc – quotations within target • W26.1 Self lay water for pressure/bacteriological testing – provided within target • W27.1 Self lay permanent water supply – provided within target • W30.1 Self lay plot references and costing details – issued within target • S1.1 Pre-development enquiry – reports issued within target • S3.1 Sewer requisition design – offers issued within target • S4.1 Sewer requisition – constructed and commissioned within agreed extension • S7.1 Adoption legal agreement – draft agreements
--	--

	<p>issued within target</p> <ul style="list-style-type: none"> • WN1.1 % of confirmations issued to the applicant within target period • WN2.2 % Bulk supply offer letters issued to the applicant within target period • WN4.1 % of main laying schemes constructed and commissioned within the target period • WN4.2 % of testing supplies provided within target period • WN4.3 % of permanent supplies made available within the target period • SN2.2 % Bulk discharge offer letters issued to the applicant within target period • SN4.1 % of main laying schemes constructed and commissioned within the target period <p>For each metric, a percentage is reported and a simple average of these metrics is taken. This is rescaled to be out of 100 to form the score for the quantitative component of D-MeX. For the 2020-21 reporting year only, companies are to separately calculate their performance against the metrics that apply in each half-year period and the annual score for the quantitative component will be an average of these two half-year scores.</p> <p>The full definition for each metric is on Ofwat's website: https://www.ofwat.gov.uk/outcomes-definitions-pr19/</p>
--	---

Version 2.0 of this change log incorporates the changes made to this performance commitment by version 1.0, above, and makes the following changes:

On [page 33](#), in the 'Performance commitment definition and parameters' table for:

<p>Detailed definition of performance measure</p>	<p>D-MeX is a measure of customer satisfaction. A company's overall D-MeX score is calculated from two components that contribute equally:</p> <ul style="list-style-type: none"> • qualitative D-MeX score, based on the ratings provided by developer services customers who transacted with the company throughout the reporting year to a customer satisfaction survey;
--	--

	<p>and</p> <ul style="list-style-type: none"> • quantitative D-MeX score, based on the company's performance against a set of selected Water UK performance metrics throughout the reporting year. <p>The survey results which are used to calculate the qualitative component of the company's D-MeX score will be supplied by a survey agent appointed by Ofwat. This is supplied out of 100 to form the score for the qualitative component of D-MeX.</p> <p>Qualitative metrics</p> <p>The metrics which are to be supplied by the company to Ofwat's survey agent for the qualitative component are as follows:</p> <p>The metrics that apply from 1 April 2020 to 30 September 2020 are set out in annex 1 of 'PR19 final determinations: Customer measure of experience (C-MeX) and developer services measure of experience (D-MeX) policy appendix'.</p> <p>For all companies, from 1 October 2020:</p> <ul style="list-style-type: none"> • W1.1 Pre-development enquiry – reports issued within target • W3.1 s45 quotations – within target • W4.1 s45 service pipe connections – within target • W6.1 Mains design <500 plots – quotations within target • W7.1 Mains design >500 plots – quotations within target • W8.1 Mains construction within target • W17.1 Mains diversions (without constraints) – quotations within target • W17.2 Mains diversions (with constraints) – quotations within target • W18.1 Mains diversions – construction/commissioning within target • W20.1 Self-lay Point of Connection report < 500 plots etc – reports issued within target • W21.1 Self-lay Point of Connection reports >500
--	--

	<p>plots etc - reports issued within target</p> <ul style="list-style-type: none"> • W23.1 Self-lay design and terms request <500 plots etc – quotations within target • W24.1 Self-lay design and terms request >500 plots etc – quotations within target • W25.1 Self-lay signed agreement – acknowledgements within target • W26.1 Self-lay water for pressure/bacteriological testing – provided within target • W27.1 Self-lay permanent water supply – provided within target • W28.1 Self-lay vesting certificates – issued within target • W29.1 Self-lay Asset Payments – issued within target • W30.1 Self-lay plot references and costing details – issued within target • S1.1 Pre-development enquiry – reports issued within target • S3.1 Sewer requisition design – offers issued within target • S4.1 Sewer requisition – constructed and commissioned within agreed extension • S6.1 Technical vetting of adoptions & diversions – approval or rejection letters within target • S7.1 Adoption legal agreement – draft agreements issued within target • S8.1 s106 sewer connection – approval letters issued within target • S9.1 s106 sewer connection – rejection letters issued within target • WN1.1 % of confirmations issued to the applicant within target period • WN2.2 % Bulk supply offer letters issued to the applicant within target period • WN3.1 % Bulk water supply agreement signed and issued to the applicant within target period • WN4.1 % of main laying schemes constructed and commissioned within the target period • WN4.2 % of testing supplies provided within target period • WN4.3 % of permanent supplies made available
--	---

	<p>within the target period</p> <ul style="list-style-type: none"> • SN2.2 % Bulk discharge offer letters issued to the applicant within target period • SN3.1 % Bulk discharge agreement signed and issued to the applicant within target period • SN4.1 % of main laying schemes constructed and commissioned within the target period <p>For companies wholly or mainly in England, in addition to the list above, from 1 October 2020:</p> <ul style="list-style-type: none"> • SAM 1/2 Review pre-design application • SAM 2/2 Review Design Step 1: Full design review and response • SAM 2/3 Review Design Step 2: Design acceptance • SAM 3/1 Update draft agreement • SAM 4/1 Inspections & construction period • SAM 5/1 Request for pre maintenance inspections • SAM 5/2 Issue pre maintenance certificate/provisional certificate • SAM 6/2 Issue vesting certificate <p>Quantitative metrics</p> <p>The set of Water UK performance metrics which are used to calculate the quantitative component of the company's D-MeX score are as follows:</p> <p>For all companies, from 1 April 2020 to 30 September 2020:</p> <ul style="list-style-type: none"> • W1.1 Pre-development enquiry - reports issued within target • W3.1 s45 quotations - within target • W4.1 s45 service pipe connections - within target • W6.1 Mains design <500 plots - quotations within target • W7.1 Mains design >500 plots - quotations within target • W8.1 Mains construction within target • W17.1 Mains diversions (without constraints) - quotations within target • W17.2 Mains diversions (with constraints) - quotations within target
--	---

	<ul style="list-style-type: none"> • W18.1 Mains diversions – construction/commissioning within target • W20.1 Self lay Point of Connection report < 500 plots etc – reports issued within target • W21.1 Self lay Point of Connection reports >500 plots etc – reports issued within target • W23.1 Self lay design and terms request <500 plots etc – quotations within target • W24.1 Self lay design and terms request >500 plots etc – quotations within target • W26.1 Self lay water for pressure/bacteriological testing – provided within target • W27.1 Self lay permanent water supply – provided within target • W30.1 Self lay plot references and costing details – issued within target • S1.1 Pre-development enquiry – reports issued within target • S3.1 Sewer requisition design – offers issued within target • S4.1 Sewer requisition – constructed and commissioned within agreed extension • S7.1 Adoption legal agreement – draft agreements issued within target <p>For companies wholly or mainly in England, from 1 October 2020:</p> <ul style="list-style-type: none"> • W1.1 Pre-development enquiry – reports issued within target • W3.1 s45 quotations – within target • W4.1 s45 service pipe connections – within target • W6.1 Mains design <500 plots – quotations within target • W7.1 Mains design >500 plots – quotations within target • W8.1 Mains construction within target • W17.1 Mains diversions (without constraints) – quotations within target • W17.2 Mains diversions (with constraints) – quotations within target • W18.1 Mains diversions – construction/commissioning within target
--	--

	<ul style="list-style-type: none"> • W20.1 Self lay Point of Connection report < 500 plots etc – reports issued within target • W21.1 Self lay Point of Connection reports >500 plots etc – reports issued within target • W23.1 Self lay design and terms request <500 plots etc – quotations within target • W24.1 Self lay design and terms request >500 plots etc – quotations within target • W26.1 Self lay water for pressure/bacteriological testing – provided within target • W27.1 Self lay permanent water supply – provided within target • W30.1 Self lay plot references and costing details – issued within target • S1.1 Pre-development enquiry – reports issued within target • S3.1 Sewer requisition design – offers issued within target • S4.1 Sewer requisition – constructed and commissioned within agreed extension • S7.1 Adoption legal agreement – draft agreements issued within target • WN1.1 % of confirmations issued to the applicant within target period • WN2.2 % Bulk supply offer letters issued to the applicant within target period • WN4.1 % of main laying schemes constructed and commissioned within the target period • WN4.2 % of testing supplies provided within target period • WN4.3 % of permanent supplies made available within the target period • SN2.2 % Bulk discharge offer letters issued to the applicant within target period • SN4.1 % of main laying schemes constructed and commissioned within the target period • SAM 3/1 Update draft agreement • SAM 4/1 Inspections and construction period <p>For companies wholly or mainly in Wales, from 1 October 2020:</p> <ul style="list-style-type: none"> • W1.1 Pre-development enquiry – reports issued
--	---

	<p>within target</p> <ul style="list-style-type: none"> • W3.1 s45 quotations – within target • W4.1 s45 service pipe connections – within target • W6.1 Mains design <500 plots – quotations within target • W7.1 Mains design >500 plots – quotations within target • W8.1 Mains construction within target • W17.1 Mains diversions (without constraints) – quotations within target • W17.2 Mains diversions (with constraints) – quotations within target • W18.1 Mains diversions – construction/commissioning within target • W20.1 Self lay Point of Connection report < 500 plots etc – reports issued within target • W21.1 Self lay Point of Connection reports >500 plots etc – reports issued within target • W23.1 Self lay design and terms request <500 plots etc – quotations within target • W24.1 Self lay design and terms request >500 plots etc – quotations within target • W26.1 Self lay water for pressure/bacteriological testing – provided within target • W27.1 Self lay permanent water supply – provided within target • W30.1 Self lay plot references and costing details – issued within target • S1.1 Pre-development enquiry – reports issued within target • S3.1 Sewer requisition design – offers issued within target • S4.1 Sewer requisition – constructed and commissioned within agreed extension • S7.1 Adoption legal agreement – draft agreements issued within target • WN1.1 % of confirmations issued to the applicant within target period • WN2.2 % Bulk supply offer letters issued to the applicant within target period • WN4.1 % of main laying schemes constructed and commissioned within the target period
--	--

	<ul style="list-style-type: none"> • WN4.2 % of testing supplies provided within target period • WN4.3 % of permanent supplies made available within the target period • SN2.2 % Bulk discharge offer letters issued to the applicant within target period • SN4.1 % of main laying schemes constructed and commissioned within the target period <p>For each metric, a percentage is reported and a simple average of these metrics is taken. This is rescaled to be out of 100 to form the score for the quantitative component of D-MeX. For the 2020-21 reporting year only, companies are to separately calculate their performance against the metrics that apply in each half-year period and the annual score for the quantitative component will be an average of these two half-year scores.</p> <p>The full definition for each metric is on Ofwat's website: https://www.ofwat.gov.uk/outcomes-definitions-pr19/</p>
--	--

Read:

<p>Detailed definition of performance measure</p>	<p>D-MeX is a measure of customer satisfaction. A company's overall D-MeX score is calculated from two components that contribute equally:</p> <ul style="list-style-type: none"> • qualitative D-MeX score, based on the ratings provided by developer services customers who transacted with the company throughout the reporting year to a customer satisfaction survey; and • quantitative D-MeX score, based on the company's performance against a set of selected Water UK performance metrics throughout the reporting year. <p>The survey results which are used to calculate the qualitative component of the company's D-MeX score will be supplied by a survey agent appointed by Ofwat. This is supplied out of 100 to form the score for the qualitative component of D-MeX.</p>
--	--

	<p>Qualitative metrics</p> <p>The metrics which are to be supplied by the company to Ofwat's survey agent for the qualitative component are as follows:</p> <p>The metrics that apply from 1 April 2020 to 30 September 2020 are set out in annex 1 of 'PR19 final determinations: Customer measure of experience (C-MeX) and developer services measure of experience (D-MeX) policy appendix'.</p> <p>For all companies, from 1 October 2020:</p> <ul style="list-style-type: none"> • W1.1 Pre-development enquiry – reports issued within target • W3.1 s45 quotations – within target • W4.1 s45 service pipe connections – within target • W6.1 Mains design <500 plots – quotations within target • W7.1 Mains design >500 plots – quotations within target • W8.1 Mains construction within target • W17.1 Mains diversions (without constraints) – quotations within target • W17.2 Mains diversions (with constraints) – quotations within target • W18.1 Mains diversions - construction/commissioning within target • S1.1 Pre-development enquiry – reports issued within target • S3.1 Sewer requisition design – offers issued within target • S4.1 Sewer requisition – constructed and commissioned within agreed extension • S6.1 Technical vetting of adoptions & diversions – approval or rejection letters within target • S7.1 Adoption legal agreement – draft agreements issued within target • S8.1 s106 sewer connection – approval letters issued within target • S9.1 s106 sewer connection – rejection letters issued within target • WN1.1 % of confirmations issued to the applicant
--	---

	<p>within target period</p> <ul style="list-style-type: none"> • WN2.2 % Bulk supply offer letters issued to the applicant within target period • WN3.1 % Bulk water supply agreement signed and issued to the applicant within target period • WN4.1 % of main laying schemes constructed and commissioned within the target period • WN4.2 % of testing supplies provided within target period • WN4.3 % of permanent supplies made available within the target period • SN2.2 % Bulk discharge offer letters issued to the applicant within target period • SN3.1 % Bulk discharge agreement signed and issued to the applicant within target period • SN4.1 % of main laying schemes constructed and commissioned within the target period <p>and, for customer quotes provided before 1 April 2021, the following metrics also apply:</p> <ul style="list-style-type: none"> • W20.1 Self-lay Point of Connection report < 500 plots etc - reports issued within target • W21.1 Self-lay Point of Connection reports >500 plots etc - reports issued within target • W23.1 Self-lay design and terms request <500 plots etc – quotations within target • W24.1 Self-lay design and terms request >500 plots etc – quotations within target • W25.1 Self-lay signed agreement – acknowledgements within target • W26.1 Self-lay water for pressure/bacteriological testing – provided within target • W27.1 Self-lay permanent water supply – provided within target • W28.1 Self-lay vesting certificates – issued within target • W29.1 Self-lay Asset Payments – issued within target • W30.1 Self-lay plot references and costing details – issued within target <p>and, for customer quotes provided on or after 1 April</p>
--	---

	<p>2021, the following metrics also apply:</p> <ul style="list-style-type: none"> • SLPM – S1/2 – Review PoC proposal • SLPM – S2/1b – Water Company to Review SLP design application • SLPM – S2/2a – Provide design • SLPM – S2/2b – Water Company to Provide design acceptance • SLPM – S3 – Review / revise Water Adoption Agreement • SLPM – S4/1 – Source of Water Delivery Date • SLPM – S5/1a – Review request and carry out Final Connection • SLPM – S5/1b – Review application and agree date of Final Connection • SLPM – S6 – Issue vesting certificate • SLPM – S7/1 – Validate notification and provide consent to progress with connection <p>For companies wholly or mainly in England, in addition to the list above, from 1 October 2020:</p> <ul style="list-style-type: none"> • SAM 1/2 Review pre-design application • SAM 2/2 Review Design Step 1: Full design review and response • SAM 2/3 Review Design Step 2: Design acceptance • SAM 3/1 Update draft agreement • SAM 4/1 Inspections & construction period • SAM 5/1 Request for pre maintenance inspections • SAM 5/2 Issue pre maintenance certificate/provisional certificate • SAM 6/2 Issue vesting certificate <p>Quantitative metrics</p> <p>When calculating the quantitative component of D-MeX, metrics that have zero activities reported against them do not affect the D-MeX score.</p> <p>The set of Water UK performance metrics which are used to calculate the quantitative component of the company's D-MeX score are as follows:</p> <p>For all companies, from 1 April 2020 to 30 September</p>
--	--

	<p>2020:</p> <ul style="list-style-type: none"> • W1.1 Pre-development enquiry - reports issued within target • W3.1 s45 quotations - within target • W4.1 s45 service pipe connections - within target • W6.1 Mains design <500 plots - quotations within target • W7.1 Mains design >500 plots - quotations within target • W8.1 Mains construction within target • W17.1 Mains diversions (without constraints) - quotations within target • W17.2 Mains diversions (with constraints) - quotations within target • W18.1 Mains diversions - construction/commissioning within target • W20.1 Self lay Point of Connection report < 500 plots etc - reports issued within target • W21.1 Self lay Point of Connection reports >500 plots etc - reports issued within target • W23.1 Self lay design and terms request <500 plots etc - quotations within target • W24.1 Self lay design and terms request >500 plots etc - quotations within target • W26.1 Self lay water for pressure/bacteriological testing - provided within target • W27.1 Self lay permanent water supply - provided within target • W30.1 Self lay plot references and costing details - issued within target • S1.1 Pre-development enquiry - reports issued within target • S3.1 Sewer requisition design - offers issued within target • S4.1 Sewer requisition - constructed and commissioned within agreed extension • S7.1 Adoption legal agreement - draft agreements issued within target <p>For companies wholly or mainly in England, from 1 October 2020:</p> <ul style="list-style-type: none"> • W1.1 Pre-development enquiry – reports issued
--	---

	<p>within target</p> <ul style="list-style-type: none"> • W3.1 s45 quotations – within target • W4.1 s45 service pipe connections – within target • W6.1 Mains design <500 plots – quotations within target • W7.1 Mains design >500 plots – quotations within target • W8.1 Mains construction within target • W17.1 Mains diversions (without constraints) – quotations within target • W17.2 Mains diversions (with constraints) – quotations within target • W18.1 Mains diversions – construction/commissioning within target • S1.1 Pre-development enquiry – reports issued within target • S3.1 Sewer requisition design – offers issued within target • S4.1 Sewer requisition – constructed and commissioned within agreed extension • S7.1 Adoption legal agreement – draft agreements issued within target • WN1.1 % of confirmations issued to the applicant within target period • WN2.2 % Bulk supply offer letters issued to the applicant within target period • WN4.1 % of main laying schemes constructed and commissioned within the target period • WN4.2 % of testing supplies provided within target period • WN4.3 % of permanent supplies made available within the target period • SN2.2 % Bulk discharge offer letters issued to the applicant within target period • SN4.1 % of main laying schemes constructed and commissioned within the target period • SAM 3/1 Update draft agreement • SAM 4/1 Inspections and construction period <p>and, for quotes provided before 1 April 2021, the following metrics also apply:</p> <ul style="list-style-type: none"> • W20.1 Self lay Point of Connection report < 500
--	---

	<p>plots etc – reports issued within target</p> <ul style="list-style-type: none"> • W21.1 Self lay Point of Connection reports >500 plots etc – reports issued within target • W23.1 Self lay design and terms request <500 plots etc – quotations within target • W24.1 Self lay design and terms request >500 plots etc – quotations within target • W26.1 Self lay water for pressure/bacteriological testing – provided within target • W27.1 Self lay permanent water supply – provided within target • W30.1 Self lay plot references and costing details – issued within target <p>and, for quotes provided on or after 1 April 2021, the following metrics also apply:</p> <ul style="list-style-type: none"> • SLPM – S1/2 – Review PoC proposal • SLPM – S2/2a – Provide design • SLPM – S2/2b – Water Company to Provide design acceptance • SLPM – S3 – Review / revise Water Adoption Agreement • SLPM – S4/1 – Source of Water Delivery Date • SLPM – S5/1a – Review request and carry out Final Connection • SLPM – S7/1 – Validate notification and provide consent to progress with connection <p>For companies wholly or mainly in Wales, from 1 October 2020:</p> <ul style="list-style-type: none"> • W1.1 Pre-development enquiry – reports issued within target • W3.1 s45 quotations – within target • W4.1 s45 service pipe connections – within target • W6.1 Mains design <500 plots – quotations within target • W7.1 Mains design >500 plots – quotations within target • W8.1 Mains construction within target • W17.1 Mains diversions (without constraints) – quotations within target • W17.2 Mains diversions (with constraints) –
--	---

	<p>quotations within target</p> <ul style="list-style-type: none"> • W18.1 Mains diversions – construction/commissioning within target • W20.1 Self lay Point of Connection report < 500 plots etc – reports issued within target • W21.1 Self lay Point of Connection reports >500 plots etc – reports issued within target • W23.1 Self lay design and terms request <500 plots etc – quotations within target • W24.1 Self lay design and terms request >500 plots etc – quotations within target • W26.1 Self lay water for pressure/bacteriological testing – provided within target • W27.1 Self lay permanent water supply – provided within target • W30.1 Self lay plot references and costing details – issued within target • S1.1 Pre-development enquiry – reports issued within target • S3.1 Sewer requisition design – offers issued within target • S4.1 Sewer requisition – constructed and commissioned within agreed extension • S7.1 Adoption legal agreement – draft agreements issued within target • WN1.1 % of confirmations issued to the applicant within target period • WN2.2 % Bulk supply offer letters issued to the applicant within target period • WN4.1 % of main laying schemes constructed and commissioned within the target period • WN4.2 % of testing supplies provided within target period • WN4.3 % of permanent supplies made available within the target period • SN2.2 % Bulk discharge offer letters issued to the applicant within target period • SN4.1 % of main laying schemes constructed and commissioned within the target period <p>For each metric, a percentage is reported and a simple average of these metrics is taken. This is rescaled to be</p>
--	--

	<p>out of 100 to form the score for the quantitative component of D-MeX. For the 2020-21 reporting year only, companies are to separately calculate their performance against the metrics that apply in each half-year period and the annual score for the quantitative component will be an average of these two half-year scores.</p> <p>The full definition for each metric is on Ofwat's website: https://www.ofwat.gov.uk/outcomes-definitions-pr19/</p>
--	---

Per capita consumption

PR19SES_E.1

The detail for this performance commitment is set out on pages 13-16.

Version 3.0 of this change log makes the following changes:

On [page 14](#), in the 'Performance commitment definition and parameters' table for:

Timing of underperformance and outperformance payments	In-period
--	-----------

Read:

Timing of underperformance and outperformance payments	End of period
--	---------------