

January 2022

**Proposal to grant a variation of
appointment to Icosa Water Services
Limited – Greenfields, Market
Drayton**

Contents

1. About this document	2
2. The Site	3
3. The applicant	4
4. The proposal	5
5. Our approach to the assessment of this application	6
6. The application	7
7. Conclusion and next steps	11
8. Site maps	12

1. About this document

We propose granting a variation of appointment to Icosa Water Services Limited (“**Icosa Water**”) as a sewerage company and varying the appointment of United Utilities Water Limited (“**United Utilities**”) as a sewerage company. This notice is a consultation on this proposal under section 8(3) of the Water Industry Act 1991 (“**WIA91**”).

The consultation period will last for 28 days from the date of publication of this notice. Having considered any representations submitted during the consultation period in response to this consultation notice, Ofwat will decide whether or not to grant the variation of appointment set out above.

2. The Site

Icosa Water has applied for a variation of appointment to be able to provide sewerage services to a site called Greenfields, in Market Drayton, Shropshire (“**the Site**”). The Site boundary map can be viewed in section 8 of this document.

The Site is within sewerage services area of United Utilities.

The Site will comprise 209 residential properties and is expected to be fully built out in August 2027.

3. The applicant

On 20 October 2016, Icosa Water was appointed as a water and sewerage undertaker for a site called West Raynham in Norfolk. On 20 December 2016, Icosa (the applicant), who is a subsidiary of Icosa Water Limited, applied to take over the appointment for the West Raynham site under the consent criterion. Since then, Ofwat has agreed to vary Icosa's areas of appointment so that it serves a further 110 sites for water and/or sewerage services. The register of new appointments and variations can be viewed [here](#).

4. The proposal

Ofwat proposes to:

- grant a variation of appointment to Icosa Water as a sewerage company, by including the Site in its sewerage services area; and
- vary the appointment of United Utilities as a sewerage company by excluding the Site from its sewerage services area.

By means of the above, Icosa Water will become the sewerage services supplier for the Site.

5. Our approach to the assessment of this application

The new appointment and variation mechanism, set out in primary legislation,¹ provides an opportunity for entry and expansion into the water and sewerage sectors by allowing one company to replace the existing appointee as the provider of water and / or sewerage services for a specific area. This mechanism can be used by new companies to enter the market and by existing appointees to expand their businesses.

When considering applications for new appointments and variations, Ofwat operates within the statutory framework set out by Parliament, including our statutory duty to protect consumers, wherever appropriate by promoting effective competition. In particular, in relation to unserved sites, we consider that we must ensure that the future customers on a site – who do not have a choice of supplier – are adequately protected. When assessing applications for new appointments and variations, the two key policy principles we apply are that:

- customers, or future customers, should be no worse off than if the Site had been supplied by the existing appointee; and
- Ofwat must be satisfied that an applicant will be able to finance the proper carrying out of its functions as a water and/or sewerage company.

We clarified these two policy principles in February 2011, and updated them more recently, when we published our new appointments and variations – [policy \(2015 and 2019\)](#) and [process \(2018\)](#) documents. In December 2015, we published our '[Statement on our approach for assessing financial viability of applications for new appointments and variations](#)'. This states that we will adopt a company-based assessment of financial viability, rather than a detailed site-based assessment, where it is appropriate to do so.

When we assess whether customers will be no worse off as a result of the appointment, we not only consider the customers on the Site but also the generality of customers – i.e. customers of the existing provider and customers

¹ The legal framework for new appointments is set out in the WIA91. Section 7 of the WIA91 sets out the criteria by which an appointment or variation may be made. Section 8 sets out the procedure for making that appointment or variation.

more generally across England and Wales, who in our view benefit from the effective operation of the new appointment and variation mechanism.

6. The application

Icosa Water has applied to be the sewerage company for the Site under the unserved criterion, set out in section 7(4)(b) of the WIA91.

6.1 Unserved status of the Site

To qualify under the unserved criterion, an applicant must show that at the time the appointment is made, none of the premises in the proposed area of appointment is served by the existing appointee.

United Utilities has provided a letter, dated 1 November 2021, confirming that, in its view, the Site is unserved for sewerage. The Site is greenfield and aerial maps show that there are no existing buildings within the parameter of the Site.

Given the information provided by Icosa Water and United Utilities we are satisfied that the Site may be considered unserved.

6.2 Protecting customers

Ofwat acts to protect consumers, especially those who are unable to choose their supplier. In assessing applications to supply new development sites, Ofwat acts on behalf of both existing customers as well as potential new customers who are not yet on site, to protect their interests. The fact that future customers on a site have not directly chosen their supplier is not a position unique to new appointments and variations – only business, charity and public sector customers (“**Business Customers**”) in England and Wales are able to choose their supplier.²

Recognising this, our assessment of an applicant’s proposals includes analysis of its plans to ensure customers will be at least no worse off in terms of their

² The majority of Business Customers where the area of the relevant appointed company is not wholly or mainly in Wales (and whose premises are, or are likely to be, supplied with at least 50 Ml where the relevant area is wholly or mainly in Wales) have been able to effectively switch suppliers of water and/or sewerage since 1 April 2017.

annual bills and levels of service than if they had been supplied by the existing appointee in whose geographical area the relevant site sits.

6.3 Price

Icosa Water proposes to match the charges to customers on the Site, to those of United Utilities.

6.4 Levels of service

Every appointee is required under its licence conditions to publish and make available the Core Customer Information for its household customers. We have assessed Icosa Water's proposed Customer Code of Practice, and our view is that it is of an appropriate standard. Our view is that customers on the Site would be no worse off in relation to the scope of Icosa Water's proposed Customer Code of Practice than they would be if United Utilities were to be the customers' sewerage services supplier.

6.5 Site owner choice

Icosa Water has the consent of the Site developer Tilia Homes Limited to become the sewerage services provider, on the Site.

6.6 Environment Agency (EA) and Drinking Water Inspectorate (DWI)

We take the views of these organisations into account before progressing to formal consultation on an application for a new appointment. The EA informed us that they are content for us to consult on this application³.

The DWI has confirmed that it is content for us to consult on applications from Icosa Water and will raise any issues during the consultation process.

³ The Environment Agency and the Drinking Water Inspectorate will also be formally consulted on the proposals, as they are on the list of organisations which must be formally consulted as set out in section 8(4)(b) of WIA91.

6.7 Incumbent's existing customers

In considering whether customers will be no worse off, we also considered the potential effects of this variation on the prices that United Utilities' existing customer base may face.

The calculation necessarily depends on a range of assumptions, and there are clearly difficulties involved in quantifying the effect. It is therefore necessary to use a simplified set of figures. We have expressed the effect in 'per bill' terms to try to quantify the possible effect in an easily understandable way.

We have assessed the potential magnitude of this impact by comparing how much United Utilities might have expected to receive in revenue from serving the Site directly, were they to serve the Site, with the revenues they might expect from the proposed arrangement with Icosa Water.

We estimate a no potential increase on the sewerage bills of existing United Utilities' customers if we grant this variation to Icosa Water. This is once the Site is fully built out.

This estimate does not take into account the potential spill-over benefits to customers arising from dynamic efficiencies achieved as a result of the competitive process to win sites.

Therefore, we consider that granting this variation to Icosa Water would have a no financial impact on customers' bills and could have potential benefits for customers.

6.8 Ability to finance and properly carry out its functions

We have a statutory duty to ensure that efficient appointees can finance the proper carrying out of their functions. When a company applies for a new appointment or variation, it must satisfy us that it is able to carry out all of the duties and obligations associated with being an appointed water or sewerage company.

We have considered the revenues and costs of the Site relating to the provision of sewerage services at the Site should the relevant variation be granted.

Following our review, we are satisfied that the Site demonstrates sufficient financial viability under our standard assessment. We are satisfied that the financial security Icosa Water has in place meets our minimum requirements.

On this basis, our view is that the risk of this Site not being financially viable is small and as a result we are currently satisfied that Icosa Water would be able to finance its functions if the variation is granted.

7. Conclusion and next steps

In assessing Icosa Water's application, we have considered the general benefits of new appointments. Our view is that our two key policy principles would be met in this case, as customers would be no worse off, and Icosa Water would be able to finance, and carry out, its functions. We have also considered the effects of granting the proposed variation on the existing customers of United Utilities.

We are currently minded to grant the variation under the unserved criterion. We are consulting on our proposal to do so.

Where to send submissions

Any person who wishes to make representations or objections with respect to the application should do so in writing to Henna Begum at Centre City Tower, 7 Hill Street, Birmingham, B5 4UA or by email at Licensing@ofwat.gov.uk.

Representations must be received by Ofwat no later than 17.00 hours on 14 February 2022. Further information about how to make representations or objections, including information on the treatment of confidential information, can be obtained from Ofwat at the above address or at <http://www.ofwat.gov.uk/foi/>.

Ofwat will only use the information you have provided for the purpose of this consultation. We will retain your information in accordance with Ofwat's retention schedule and will not share with third parties unless we have a legal obligation to do so. For further information please see Ofwat's Privacy Policy in our [Publication Scheme](#).

Site map



Proposal to grant a variation of appointment to Icosa Water Services Limited –
Greenfields, Market Drayton

**Ofwat (The Water Services Regulation Authority)
is a non-ministerial government department.
We regulate the water sector in England and Wales.**

Ofwat
Centre City Tower
7 Hill Street
Birmingham B5 4UA
Phone: 0121 644 7500

© Crown copyright 2021

This publication is licensed under the terms of the Open Government Licence v3.0 except where otherwise stated. To view this licence, visit nationalarchives.gov.uk/doc/open-government-licence/version/3.

Where we have identified any third party copyright information, you will need to obtain permission from the copyright holders concerned.

This document is also available from our website at www.ofwat.gov.uk.

Any enquiries regarding this publication should be sent to mailbox@ofwat.gov.uk.

OGL