28 February 2022



Ofwat 4th Floor 21 Bloomsbury Street London WC1B 3HF

SES Water

London Road Redhill, Surrey, RH1 1LJ Telephone: 01737 772000 Facsimile: 01737 766807 Website: www.seswater.co.uk Email: contactus@seswater.co.uk

Dear Ofwat

Response to the statutory consultation on proposed changes for Eligibility Guidance and Supplementary Eligibility Guidance

Many thanks for this opportunity to comment on the above document. Please find attached our response.

We are happy to engage in further discussions and consultations to improve the eligibility guidance in the future.

Yours faithfully







SES Water response to discussion paper consultation

Q1. Do you have any concern about our proposed changes?

Response

We do not find any changes that may cause concern at this stage.

Q2. Is there anything in respect of eligibility for the business retail market that the proposed updated guidance does not cover that you consider would be useful? If so, please provide details of why this would be useful.

Response

We do not see any other circumstances of eligibility that have not been covered by the proposed guidance.

Q3. Are the scenarios provided in the updated guidance comprehensive enough? Are there any missing that would be helpful, or are there some scenarios that are no longer required? If so, please provide details of why you believe this to be the case.

Response

We believe that the scenarios provided are sufficiently comprehensive and do not have further suggestions.

