

Proposal to grant a variation of appointment to Icosa Water Services Limited to include the Site Tameside Court, Hyde, Cheshire.

	Details
Applicant	Icosa Water Services Limited (“ Icosa Water ”)
Site Details	Tameside Court, Hyde, Cheshire (“ the Site ”)
Services	Water Only
Current water appointee	United Utilities Water Limited (“ United Utilities ”)
Proposed supply arrangements	Bulk supply agreement with United Utilities
Criterion	Unserved
Household Customer	137
Business Customers	0
Developer	Rowlinson Construction Limited
Estimated Site completion date	1 December 2024
Summary of consultation	A statutory consultation made under section 8(3) of the Water Industry Act 1991 (“ WIA91 ”) to grant Icosa Water a variation to its appointment as a water company. To also vary the appointment of United Utilities as a water company. Consequently, Icosa Water will become the company for the Site.
Deadline for submissions	Representations or objections to this consultation should be sent by email to Licensing@ofwat.gov.uk or in writing and sent to the NAV licensing team, Centre City Tower, 7 Hill Street, Birmingham, B5 4UA. Reponses must be received by Ofwat no later than 17.00 hours on 2 August 2023 .

Further information about how to make representations or objections, including information on the treatment of confidential information, can be obtained from Ofwat at the above address or at <http://www.ofwat.gov.uk/foi/>.

Ofwat will only use the information you have provided for the purpose of this consultation. We will retain your information in accordance with Ofwat’s retention schedule and will not share with third parties unless we have a legal obligation to do so. For further information please see Ofwat’s Privacy Policy in our [Publication Scheme](#).

1. Our assessment of this application

Our approach

The new appointment and variation mechanism set out in primary legislation¹, provides an opportunity for entry and expansion into the water and sewerage sectors by allowing one company to replace the existing appointee as the provider of water and / or sewerage services for a specific area. This mechanism can be used by new companies to enter the market and by existing appointees to expand their businesses.

You can find further details of our approach to assessing applications for New Appointments and Variations ("NAVs") [here](#).

Unserviced status of the Site

To qualify under the unserved criterion, an applicant must show that at the time the appointment is made, none of the premises in the proposed area of appointment is served by the existing appointee.

ICW is applying for a variation based on the unserved criterion. U UW has provided a letter, dated 29 December 2022, confirming that, in its view, the Site is unserved. The Site is a brownfield Site once a community centre. All building have been demolished and U UW has confirmed that whilst the Site is unserved, it does have combined sewers and a water main running through the Site which will remain the property of U UW.

Given the information provided by Icosa Water and United Utilities, we are satisfied that the Site may be considered unserved.

Price

Icosa Water proposes to match the charges to customers on the Site to those of United Utilities, it will not offer a discount.

Levels of service

Every appointee is required under its licence conditions to publish and make available the Core Customer Information for its household customers. We have assessed Icosa Water's

¹ The legal framework for new appointments is set out in the WIA91. Section 7 of the WIA91 sets out the criteria by which an appointment or variation may be made. Section 8 sets out the procedure for making that appointment or variation.

Proposal to grant a variation of appointment to Icosa Water Services Limited to include the Site Tameside Court, Hyde, Cheshire.

proposed Customer Code of Practice, and our view is that it is of an appropriate standard. Our view is that customers on the Site would be no worse off in relation to the scope of Icosa Water's proposed Customer Code of Practice than they would be if United Utilities were to be the customers' water company.

Stakeholder engagement

We take the view of the Environment Agency², the Drinking Water Inspectorate ("**DWI**"), and the Consumer Council for Water ("**CCW**") into account before progressing to formal consultation on an application.

Ofwat has engaged with the Environment Agency as part of the application process. For this application, the Environment Agency have flagged a potential risk of supply deficit. Where a risk of deficit exists, applicants are expected to assure the Environment Agency, via statutory processes, that there is not a risk of deficit or, that any deficit will be resolved. The risk has been flagged to Icosa Water to action. The Environment Agency has confirmed to us that it is comfortable for the application to proceed ahead of those discussions being concluded.

The Drinking Water Inspectorate is satisfied that Icosa Water understand the obligations under the Water Industry Act 1991 (as amended), the Water Supply (Water Quality) Regulations 2016 (as amended) and the Water Industry (Suppliers' Information) Direction 2021. The Drinking Water Inspectorate therefore raise no comments or objections to Ofwat proceeding to consultation and decision for applications submitted by Icosa Water.

As part of the application process Ofwat has engaged with CCW. CCW's position is that new appointments and variations (NAV's) should bring benefits to customers on the proposed NAV site. CCW expects New Appointees to provide consumers with prices, levels of service or service guarantees that match or, ideally, better those of incumbent water and/or sewerage companies. CCW has stated that it is satisfied that Icosa Water as an established New Appointee, offers customers on its NAV sites prices and levels of service which match or better those offered by the incumbent water and/or sewerage companies which would otherwise serve the site. CCW agrees with Ofwat's assessment that customers on the site will be no worse off if served by Icosa Water and so, overall, supports the proposed variation of appointment.

CCW recognise that due to the small size of Icosa Water's customer base, it does not currently offer its financial vulnerable customers a social tariff in the way that the incumbent companies do but does offer the standard WaterSure tariff for qualifying customers. CCW consider that it is appropriate for Icosa Water to tailor the services it provides, until it can

² The Environment Agency as well as the Drinking Water Inspectorate will also be formally consulted on the proposals, as they are on the list of organisations which must be formally consulted as set out in section 8(4)(b) of WIA91.

Proposal to grant a variation of appointment to Icosa Water Services Limited to include the Site Tameside Court, Hyde, Cheshire.

offer a formal social tariff, ensuring customers are provided with appropriate flexible support where needed.

CCW notes that it is important for the NAV regime to have wider benefits for all customers, including those of incumbents, particularly as the number of sites in each incumbent area increases. CCW expect NAV companies and incumbent companies to work together to ensure the arrangements on the site and bulk charges are reflective of the impact on an incumbent's existing customers.

Impact on existing customers

In considering whether customers will be no worse off, we also considered the potential effects of this variation on the prices that United Utilities' existing customer base may face.

The incumbent's bulk charges to the NAV should closely relate to the services the NAV provides to its end customers. We published our final guidance on bulk charges in January 2021 (Bulk charges for new appointees - guidance on our approach and expectations), following a consultation on our approach and a consultation on a draft version of our guidance in November 2020.

Our approach to regulating bulk charges was informed by a report we commissioned to explore whether incumbents' practices when setting bulk charges for NAVs were driving benefits for customers, the environment and wider society. The report confirmed that incumbents were setting bulk charges with reference to our May 2018 guidance, a new approach to bulk charges for new appointees. This guidance introduced the principle that bulk charges for new appointees should be set to reflect the relevant wholesale tariff(s) and deduct costs that the incumbent would no longer incur if a new appointee supplied the site instead.

Therefore, if the incumbent's bulk charges are set at the correct level and adjusted to ensure that they remain cost reflective, we consider that granting this variation to [Company] would have no financial impact on the bills of the incumbent's customers and could have potential benefits for customers. There are also potential spill-over benefits to customers arising from dynamic efficiencies achieved as a result of the competitive process to win sites.

Ability to finance and properly carry out its functions

We have a statutory duty to ensure that efficient appointees can finance the proper carrying out of their functions. When a company applies for a new appointment or variation, it must satisfy us that it is able to carry out all of the duties and obligations associated with being an appointed water or sewerage company.

Proposal to grant a variation of appointment to Icosa Water Services Limited to include the Site Tameside Court, Hyde, Cheshire.

We have considered the revenues and costs of the Site relating to the provision of water services should the relevant variation be granted.

- Following our review, we are satisfied that the Site demonstrates sufficient financial viability under our standard assessment.
- We are satisfied that the financial security Icosa Water has in place meets our minimum requirements.

On this basis, our view is that the risk of this Site not being financially viable is small and as a result we are currently satisfied that Icosa Water would be able to finance its functions if the variation is granted.

Proposal to grant a variation of appointment to Icosa Water Services Limited to include the Site Tameside Court, Hyde, Cheshire.

2. Conclusion and next steps

In assessing Icosa Water's application, we have considered the general benefits of new appointments and variations. Our view is that our two key policy principles would be met in this case, as customers would be no worse off, and Icosa Water would be able to finance, and carry out, its functions. We have also considered the effects of granting the proposed variation on the existing customers of United Utilities.

We are currently minded to grant the variation under the unserved criterion. Subject to considering any representations submitted during the consultation period in response to this consultation notice, Ofwat will decide whether or not to grant the variation of appointment set out above.

Proposal to grant a variation of appointment to Icosa Water Services Limited to include the Site Tameside Court, Hyde, Cheshire.

3. Site map

